PTO/S8/08B (08-03)
Approved for use through 07/31/2008, OMB 0651-0031
U.S. Patent and Trademant Office; U.S. DEPARTMENT OF COMMERCE

Substitute for form 1449/PTO				re required to respond to a collection of information unless it contains a valid OMS control number. Complete if Known		
				Application Number	10/619,255	
INFORMATION DISCLOSURE				Filing Date	14 July 2003	
STA	TEMENT E	BY A	PPLICANT	First Named Inventor	Robert A. Marshall	
(Use as many sheets as necessary)				.Art Unit	2636	
	(USO 45 many sneets as necessary)			Examiner Name	Eric M Blount	
Sheet	1	of	1	Attorney Docket Number		

		NON PATENT LITERATURE DOCUMENTS	•
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
		James Justin Mercier, PE "The Queen Isabella Causeway Bridge Collapse Detection and Motonst Warning System" submitted for pub. to American Society for Civil Engineers Feb05	
1			
			-

Examiner			Date	7/22/20					
Signature	1		Considered	1/28/05					
"EYALUNED: Initially before the confidence whether arrived citation is in confirmation with MPEP 609. Draw line through citation if and in conformation and and									

EXAMINER: Initial-inference considered, whether or not citation is in conformance with type 609. Draw tine through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a banefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450.

Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.